

Hand Trucks
Platform Trucks
Service Carts
Stock Pickers
Stock Carts
Rolling Ladders
Furniture Dollies
Appliance Trucks

Drum Trucks
Delivery Trucks
Cylinder Carts
Pallet Racking
Cantilever Rack
Steel Hoppers
Security Rooms
Custom Products

PRODUCTS DESIGNED FOR EXCELLENCE AND DEPENDABILITY



100% CANADIAN QUALITY



MANUFACTURERS
OF A FULL LINE OF
QUALITY MATERIALS
HANDLING EQUIPMENT



WHAT GOES INTO ALL OF OUR PRODUCTS

DEPENDABILITY. QUALITY. SAFETY.

OUR GOAL

IS TO MANUFACTURE THE BEST VALUE PRODUCTS AVAILABLE ON THE MARKET.

TABLE OF CONTENTS

STEEL HAND TRUCKS	4-5
APPLIANCE HAND TRUCKS	5
DRUM HANDLING	6
CYLINDER TRUCKS	7
SERVICE CARTS	7-9
PLATFORM TRUCKS	10
STOCKING CARTS	10-11
FURNITURE DOLLIES	111
ROLLING LADDERS	11-12
STORAGE MEZZANINES	13-14
SPECIALTY PRODUCTS	15-17
CUSTOM PRODUCTS	18-19

About Us

Anchor Pro Supplies Ltd., based in British Columbia, is a steel fabricating company **founded in 1965** and specializes in manufacturing quality material handling equipment. Our team is made up of experienced and highly motivated individuals who strive to produce the best quality products on the market.

Technological Prowess

Anchor Pro has continuously kept up to date with the latest technological innovation in the industry. This modernization allows us to optimize our manufacturing by **producing products more efficiently**, with cost effective operating measures in place. Through our fabrication process we are able to provide the best products at affordable prices.

Quality From Start to Finish

By using only **premium materials** in our manufacturing process, providing smooth fi nishing and heavy walled tubing, we are able to create the most durable products. The strength of our products allows us to be confi dent in the safety of all of customers. Each item we produce is thoroughly inspected by a member of our team to ensure reliable functionality.








STEEL HAND TRUCKS

STEEL HAND TRUCK

Delivery Handtruck - 8" Semi SKU: D52-8S






Medium duty ergonomic "D" handle for one handed use. 8" wheels with fenders to prevent boxes from catching.

- 7"D x 12.625"W 10GA toe plate
- 8" semi-pneumatic wheels
 OA dimensions 52"H x 17.25"W
- Powder coat fi nish
- · Capacity 500 lbs.

STEEL HAND TRUCK

Delivery Handtruck -10" PN SKU: D52-10P





Medium duty ergonomic "D" handle for one handed use. 10" wheels with fenders to prevent boxes from catching

- 7"D x 12.625"W 10GA toe plate
- 10" pneumatic wheels OA dimensions 52"H x 19.75"W
- Powder coat fi nish
- · Capacity 500 lbs.

STEEL HAND TRUCK Commercial SKU: HL8S





Our commercial hand truck model is one of the most popular for general purpose use. Ideal for retail, warehouse, distribution centres, moving industries and many more. All welded construc-tion from sturdy 1" tubing.

• Height 50"
• Width 19"

C

- Nose plate size 7" x 13 5/8"W
- Semi-pneumatic wheels 8" x 2"
- Powder coat fi nish · Capacity - 900 lbs.

STEEL HAND TRUCK

Rough Terrain SKU: HL10P





Our rough terrain hand truck is ideal for outside or inside use. Sturdy all welded frame for long life.

- · Height 50"
- Width 21'
- Nose plate size 7" x 13 5/8"
- Full pneumatic wheels 10" x 4"
- Powder coat fi nish
- · Capacity 800 lbs.

STEEL HAND TRUCK

Pail Truck SKU: 105





Anchor Pro pail truck comes with tubular 1" steel all welded frame curved with cross pieces ideal for handling pails or other merchandise.

- Height 50"
 Width 19"
- Nose plate size 7" x 13 5/8"W
- Semi-pneumatic wheels 8" x 2"
- Powder coat fi nishCapacity 750 lbs.

STEEL HAND TRUCK **Economy**

SKU: 802





Economy hand truck model is ideal for light duty applications. 1" tube frame construction and flat bar cross straps.

- · Height 45"
- Width 17"
- Nose plate size 7" x 13 5/8"W
- Semi-pneumatic wheels 8'
- Powder coat fi nish
- · Capacity 400 lbs.

STEEL HAND TRUCK

All Purpose SKU: 804





Our basic hand truck model is perfect for personal and commercial use. Slim and light design. Tubular & flat bar frame, an ideal choice for general purpose use.

- Height 45" Width 21"
- Nose plate size 13 5/8"W x 8"
- Pneumatic wheels 10" x 4" · Powder coat fi nish
- Capacity 750 lbs.

STEEL HAND TRUCK

Chair Mover SKU: 801





This versatile chair mover hand truck can be used in schools, recreation centres etc. for both a general purpose hand truck and moving stacks of chairs. Fits under chairs with 14" clearance. Reinforced nose folds flush to frame when not

- Height 50" Width 19"
- Noseplate size: 14 5/8"Wx 7"
- Semi-pneumatic wheels 8" x 2"
- Overall dimension: 18" W x 16" x 48" H
- Powder coat fi nish
- · Capacity 550 lbs.

STEEL HAND TRUCK

Baggage SKU: 980





Our baggage hand truck is designed to handle luggage. Garment bags can be hung full length. Fold down nose stores against frame when not in use.

- · Height 50"
- Width 19"
 Fold down nose plate 10" x 22"
 Mold on rubber wheels 8" x

- Powder coat fi nish · Capacity - 750 lbs.

STEEL HAND TRUCK

Two in One SKU: 120





Our two in one convertible hand truck. Two wheel hand truck easily converts to a 4 wheel cart to meet your needs. Ideal for warehouse, retail, wholesaler industry and more.


- Height 50" as a hand truck
 Platform Truck Bed 14" x 42"
 Width 19"
- Casters 3"
- Semi-pneumatic wheels 8" x 2" with guards
 Powder coat fi nish
- · Capacity 500 lbs. as hand truck
- · Capacity 900 lbs. as platform truck



STEEL HAND TRUCK

Liquor

SKU: EK190





Perfect for liquor stores, makes transportation easy, safe and effi cient. High quality hand truck.Frame designed for one or two handed operation. Strong all welded tubular construction.

- · Height 50"
- Width 19"
- Nose plate size 7 1/2" x 13 5/8"
- Semi-pneumatic wheels 8" x 2"Powder coat fi nish
- · Capacity 500 lbs.

STEEL HAND TRUCK

SKU: 2002

Bread Tray Hand Truck



Beer Pallet SKU: EK200





- · Beer pallet frame designed for one or two handed operation

 Strong all welded tubular construction.
- Height 59" Width 15 1/2"
- Nose Size 13 5/8"W x 9 1/2"
- · Mold on rubber wheels 5"x2"
- · Powder coat fi nish
- · Capacity 700 lbs.

Mini Beer designed for use with single liquor cases. Slim design, light and simple. Frame operation. Strong all welded

- Mold-on rubber wheels 5"x2"
- Height 60" Width 10"
- Depth 20"
- Nose Size 12" x 8 1/2"W
- · Powder coat fi nish
- · Capacity 700 lbs.

STEEL HAND TRUCK

Warehouse SKU: 3051



Our warehouse hand truck is designed to handle the most

severe warehouse hand truck

applications. Applicable for

heavy and bulky objects.

• Nose plate size 6" x 20"

· Capacity - 1200 lbs.

Mold on rubber wheels 10"
x 2 1/2"
Powder coat fi nish

• Height 52" • Width 20"

STEEL HAND TRUCK

Dual Handle Steel Hand Truck SKU: 3071





General purpose, heavy duty hand truck. Handles bags, and other warehouse articles with

- Height 52" Width 22"

- · Nose Plate Size 8" x 10" Mold on rubber wheels 10"
- x 2 1/2"
- · Powder coat fi nish
- · Capacity 1200 lbs.

M

STEEL HAND TRUCK

Mini Beer

SKU: MP001

designed for one or two handed tubular construction.

APPLIANCE HAND TRUCKS

APPLIANCE HAND TRUCK

General Purpose

SKU: 1284







Our general purpose appliance trucks comes with large semi-pneumatic wheels for easy movement on uneven surfaces. Vinyl non-marking bumpers to protect load. 'V' belt stair climbers to assist up and down stairs.

- · Height 60"
- Width 24"
- Semi-pneumatic wheels 8" x 2"
- Powder coat fi nish
- · Capacity 900 lbs.

APPLIANCE HAND TRUCK

Professional SKU: 1504





Welded tubular frame provides strength and economy. Single ratchet appliance truck. Vinyl non-marking bumpers at contact points. Recessed wheels maneuver easily. 'V' belt stair climbers to assist up and down stairs.

- Height 60" Width 24"
- · Semi-pneumatic wheels 5" x 2"
- · Powder coat fi nish
- · Capacity 700 lbs.

APPLIANCE HAND TRUCK **Rental Industry**

SKU: 1289





Perfect for the rental industry hand reflect for the renal industy flation truck. One piece 14' belt permanently attached to truck. Offset belt tightener. Simple in design and workability. 'V' belt stair climbers to assist up and down

- Height 60" Width 24"
- Semi-pneumatic wheels 8" x 2"
- Powder coat fi nish
- · Capacity 900 lbs.



This hand truck has been designed with the food industry in mind. It's long forks allow for the transporting of an entire stack of trays. The end of the forks have been bevelled to allow the hand truck to easily slide under the product.

- 60" O.A.H 8" Semi pneumatic wheels Fork dimensions 3" x 20" L
- Powder coat fi nish
 Capacity 900 lbs.

DRUM HANDLING

DRUM HANDLING

Economy Model SKU: 3001





Standard model drum truck - straight up design holds full loads on an incline. Heavy-duty moldon rubber wheels move easily.

- 10" moldon rubber wheels
- Powder coat fi nish
- · Capacity 1200 lbs

Most economical and popular drum truck from our selection.

DRUM HANDLING

Pneumatic Model SKU: 3001P





Pneumatic wheels drum dolly - straight up design holds full loads on an incline. This unit is ideal to roll across rough surfaces.

- · 10" pneumatic wheels
- Powder coat fi nishCapacity 800 lbs.

DRUM HANDLING

Deluxe Model SKU: 3000





Our deluxe drum truck provide excellent load balance for easy handling. Spring loaded, floating axle helps cushion the load. Self-standing feature keeps truck vertical when not in use. Heavy duty moldon rubber wheels move easily.

- Overall dimension: 22"W x 18" D x 60"H
 • 10" Moldon rubber wheels
- Powder coat fi nishCapacity 1200 lbs.

DRUM HANDLING

Plastic Drum Model

SKU: 3003





Plastic drum dolly – comes with adjustable belt with ratchet tightener securely fastens plastic or polyethylene drums to truck to facilitate safe transportation. Handles most 25-45 gallon capacity

- Overall dimension: 22"W x 19"D x 60"H
- Nose plate size: 15" x 8"
- 10" moldon rubber wheels
- Powder coat fi nish
- · Capacity 1200 lbs.

DRUM HANDLING Dispensing Model SKU: 3004





Dispensing drum truck model is designed for dispensing of liquids with the same ease as moving full drums. Unique rollers on frame so drums can be rotated without removing them from the truck. Special chine hooks fit neatly beneath spigot, won't interfere with dispensing.

Three Functional Positions: Vertical, Diagonal and Horizontal

- 10" moldon rubber front wheels
- 5" moldon rubber back wheelsPowder coat fi nish
- · Capacity 1200 lbs.

DRUM HANDLING

Rigid Wheel Drum Cradle SKU: 3014





- · Rigid wheel drum cradle safe & easy method for handling drums
- Moving, draining and storing4 rigid wheels
- Powder coat fi nish
- · Capacity 1000 lbs

DRUM HANDLING

Swivel Wheel Drum Cradle SKU: 3015





- · Swivel wheel drum cradle is safe method of moving & handling drums
- · Moving, draining and storing
- 2 rigid and 2 swivel wheelsPowder coat fi nish
- · Capacity 1000 lbs.

DRUM HANDLING

Drum Lif er SKU: BC-1





- Drum lifter Grips, Holds, and Moves drums in the upright position
- Attach to a forklift truck, crane or hoist
- · Open or closed drums
- Tong-grip grips more







- Drum dolly 24" diameter
- Four swivel casters
 Powder coat fi nish
 Capacity 1000 lbs.





CYLINDER TRUCKS

CYLINDER TRUCKS

Medium Cylinder Front to Back SKII: CC3



CYLINDER TRUCKS

Medium Cylinder Side by Side SKU: CC4



CYLINDER TRUCKS **Large Cylinders** SKU: CC5



CYLINDER TRUCKS

Large Cylinders Pneumatic SKU: CC5-16



CYLINDER TRUCKS

Single Cylinder SKU: CC9





Our front load cylinder truck is designed for narrow aisle use.

- Front to back load style Base 9 1/2" x 17" Axle 5/8"

- Wheels 8" x 1 3/4"
- · Powder coat fi nish

- Tank Capacity:
 Acetylene up to 320 cu. ft.
- · Oxygen up to 244 cu. ft.
- Weight Capacity 400 lbs.



Side load cylinder truck designed for easy – effcient side by side gas cylinder tanks.

- · Comes with tool tray
- Base Plate 9 1/2" x 18 3/4"
 Axle 5/8"
- Wheels 8" x 1 3/4"
- · Powder coat fi nish

Tank Capacity:

- Acetylene up to 320 cu. ft.
 Oxygen up to 244 cu. ft.
- · Weight Capacity 400 lbs.



Large cylinder cart designed to move and access your cylinder tanks in safely and efficiently.

- Comes with tool tray Solid Rubber Wheels 14" x 3"
- Base 13" x 24"
- · Powder coat fi nish

- Tank Capacity: Acetylene up to 365 cu. ft.
- · Propane up to 100 lbs.
- Oxygen up to 244 cu. ft.
- · Weight Capacity 700 lbs.



Large pneumatic cylinder truck designed for rough surfaces.

- · Comes with tool tray
- Pneumatic wheels 16" x 4"
- Base 13" x 24" · Powder coat fi nish

Tank Capacity:

- Acetylene up to 365 cu. ft.
- Propane up to 100 lbs.Oxygen up to 300 cu. ft.
- · Weight Capacity 600 lbs.



Single cylinder hand truck model comes with stair climbers for added maneuverability.

- 15" W x 46" H x 15"D
- · c/w stair climbers
- · Semi-pneumatic wheels 8"x2"
- Powder coat fi nish
- Capacity 500 lbs.

SERVICE CARTS

SERVICE CARTS

Two Shelf Cart





Anchor Pro high quality 2 shelf cart.

- Practical, timesaving heavy gauge steel carts for order picking or service work
 Modular bolt-together design
 Carts complete with 2 swivel and 2 rigid casters
- Handle mounted on the swivel end for increased mobility under load
- Shelves may be reversed for flush surface
- Models are standard with 5" non marking casters
 Shelf clearance 23"
- Powder coat fi nish
- · Capacity 1200 lbs.

Stock No. Dimensions			
	W	L	Н
1630	16"	30"	34"
1836	18"	36"	34"
2436	24"	36"	34"
2442	24"	42"	34"
2448	24"	48"	34"

SERVICE CARTS





Anchor Pro high quality 3 shelf cart.

- Practical, timesaving heavy gauge steel carts for order picking or service work
- · Modular bolt-together design
- Carts complete with 2 swivel and 2 rigid casters
- Handle mounted on the swivel end for increased mobility under load
 Shelves may be reversed for flush surface
- · Models are standard with 5" non marking casters
- · Shelf clearance 10 1/4"
- Powder coat fi nishCapacity 1200 lbs.

Stock No.	Dimensions		
	W	L	Н
1630-3	16"	30"	34"
1836-3	18"	36"	34"
2436-3	24"	36"	34"
2442-3	24"	42"	34"
2448-3	24"	48"	34"



SERVICE CARTS

SERVICE CARTS

Pneumatic Caster Cart



- load · Shelves may be reversed for flush
- surface
 Models are standard with 8"
 pneumatic casters
- Shelf clearance 18"
- Powder coat fi nish · Capacity - 1200 lbs.
- Stock No. Dimensions 2436-P 24" 36" 34" 2442-P 24" 42" 34" 2448-P 24" 48" 34"

SERVICE CARTS **Ergonomic Handle Cart**



- Practical, timesaving heavy gauge steel carts for order picking or service

- Modular bolt-together design
 Carts complete with 2 swivel and 2 rigid casters
 Handle mounted on the swivel end for increased mobility under load
- · Shelves may be reversed for flush surface
- Models are standard with 5" non marking casters
 Shelf clearance 23"
- Powder coat fi nish
- · Capacity 1200 lbs.

Stock No.	Dimensions		
	W	L	Н
ER-1836	18"	36"	34"
ER-2436	24"	36"	34"
ER-2442	24"	42"	34"
FR-2448	24"	48"	34"

SERVICE CARTS **Picking List Holder Cart**





Anchor Pro high quality Picking List Holder Cart.

- Practical, timesaving heavy gauge steel carts for order picking or service work
 • Modular bolt-together design

- Carts complete with 2 swivel and 2 rigid casters
 Handle mounted on the swivel end for increased mobility under load
- Shelves may be reversed for flush surface
 Models are standard with 5" non marking casters
- Shelf clearance 23"
- · Powder coat fi nish
- · Capacity 1200 lbs.

Stock No.	Dimensions		
	W	L	Н
PT-1836	18"	36"	34"
PT-2436	24"	36"	34"
PT-2442	24"	42"	34"
PT-2448	24"	48"	34"

SERVICE CARTS

Grocery Cart SKU: 2043








SERVICE CARTS

SERVICE CARTS **Four Shelf Cart**



Anchor Pro high quality 4 shelf cart.

- · Practical, timesaving heavy gauge steel carts for order picking or service work
- Modular bolt-
- together design
 Carts complete with
 swivel and 2 rigid casters
- Handle mounted on the swivel end for increased mobility under load
- Shelves may be reversed for flush surface
 • Models are standard with 5"
- non marking casters
- Shelf clearance 15"
- · Powder coat fi nish
- Capacity 1200 lbs.







Anchor Pro high quality 5 shelf

a

- increased mobility under load
- Shelves may be reversed for flush surface
 Models are standard with 5" non marking casters
 Shelf clearance 10 1/2"
- · Powder coat fi nish
- · Capacity 1200 lbs.

Stock No.	Dimensions		
	W	L	Н
ST-1836-5	18"	36"	61"
ST-2436-5	24"	36"	61"
ST-2442-5	24"	42"	61"
ST-2448-5	24"	48"	61"

SERVICE CARTS

Mesh Security Cart SKU: SC-2448-4





- All welded construction
- 2" x 2" x 10GA wire mesh screen on 3 sides and doors
- · Double swing doors with padlock hasp
- 3 shelves and solid top
 OA dimensions 25"W x 55"L x 61"H
 Powder coat fi nish
- · Capacity 1200 lbs.

SERVICE CARTS

Three Shelf Stock Picker SKU: 364





- 3 Shelf Stock Picker and Ladder Truck in one
- · Spring loaded ladder locks cart in place

- Dimensions:
 Overall: 46"W x 20"D x 71 1/2" H
- 60"H to the top shelf Bottom shelf: 42" x 20"
- Middle shelf: 36" x 20"
 Top shelf: 30" x 20"
 25 1/2" shelf clearance
- 2 1/2" shelf tip

- 2 swivel 2 rigid casters
 5" non marking casters
 All welded construction
- Powder coat fi nish · Capacity - 1200 lbs.

SERVICE CARTS

Two Shelf Stock Picker SKU: 362





- 2 Shelf Stock Picker and Ladder Truck
- Spring loaded ladder locks cart in place.

- Dimensions:

 Overall: 46" x 20" x 63 1/2"H

 Bottom shelf: 42" x 20"

 Top shelf: 35 1/2" x 20"

 37"H to top of the shelf

 2 1/2" shelf lip

 2 swivel 2 rigid casters

 5" non marking casters

 All welded construction

 Powder coat fi nish

 Capacity 1200 lbs

- · Capacity 1200 lbs.



PLATFORM TRUCKS

PLATFORM TRUCKS

Hardwood Platform Truck SKU: EK210





Liquor Platform Truck - 6 wheel

- · Well designed for retail or warehouse, hotel Wood fi nish platform
 Dimensions – 18"W x 42"L x 37"H
 Platform size 42" x 18"

- · Powder coat fi nish
- · Capacity 1200 lbs.

PLATFORM TRUCKS

MD Steel Platform Truck

PLATFORM TRUCKS

HD Steel Platform Truck





Steel Platform Truck - heavy duty model

- Heavy-Duty reinforced steel deck
 Steel frame absorbs shock
 Removable handle

- Capacity 2400 lbs.

Stock No.	Deck Size	Wheel Size
S2448-8	24" x 48"	8"
S3060-8	30" x 60"	8"
S3672-8	36" x 72"	8"

* Other caster types available.



- 2 swivel and 2 rigid casters
- · Powder coat fi nish

Stock No.	Deck Size	Wheel Size
S2448-8	24" x 48"	8"
S3060-8	30" x 60"	8"
S3672-8	36" x 72"	8"

PLATFORM TRUCKS

Wagon Platform Truck





- Steel platform trucks Removable handle
- · 2 swivel and 2 rigid casters
- Powder coat fi nish
 Capacity 1200 lbs.

Stock No.	Deck Size	Wheel Size
S2436-5	24" x 36"	5"
S2442-5	24" x 42"	5"
S2448-5	24" x 48"	5"





Our wagon platform truck is perfect for nursery and rough terrain applications

- · Available with Steel or Wood deck surfaces
- Powder coat fi nish
- · Capacity 1500 lbs.

Stock No.	Deck Type	Deck Size	Wheel Size
WW2448-P	Wood	24" x 48"	10"
WW3060-P	Wood	30" x 60"	10"
WS2448-P	Steel	24" x 48"	10"
WS3060-P	Steel	30" x 60"	10"

PLATFORM TRUCKS

HD Wood Platform Truck





- Heavy-Duty wood platform truck
 Steel frame absorbs shock
 Removable handle

- · 2 swivel and 2 rigid casters
- · Powder coat fi nish
- · Capacity 2200 lbs.

Stock No.	Deck Size	Wheel Size
W2448-8	24" x 48"	8"
W3060-8	30" x 60"	8"

* Other caster types available.

STOCKING CARTS





6 wheel stock cart actually turns in its own radius - two 8" x 1.5" centre wheels plus four 5" x 1" ball-bearing swivel casters make this possible. 38" x 16" wide bed takes big cartons.
Frame, deck, handles are 1" diameter tubular welded steel.

- Powder coat fi nish Capacity 1200 lbs.



STOCKING CARTS

STOCKING CARTS

6 Wheel Big

SKU: SM2241



STOCKING CARTS

Single Shelf Tube Cart

SKU: L5B



STOCKING CARTS

Two Shelf Tube Cart



STOCKING CARTS

Tube Frame Stock Cart with Solid Top

SKU: H5B-ST





2 shelf stock cart model is well designed carry-all for retail or warehouse stocking. 36" x 16" bed, handle and frame of strong 1" diameter welded steel tubing with a solid top. Cart rolls smoothly on two swivel and two rigid 5" non marking

- Tube frame with 16" x 36"reinforced solid top
 • 5" non-marking casters – 2 swivel,

- OA dimensions 16"W x 39"L x 36"H
- · Powder coat fi nish · Capacity - 1200 lbs.

2 shelf stock cart model is well designed carry-all for retail or warehouse stocking. 36" x 16" bed, handle and frame of strong 1" diameter welded steel tubing. Cart rolls smoothly on two swivel and two rigid 5" non marking casters.

- Tube frame with 16" x 36" reinforced tube top
- 5" non-marking casters 2 swivel,
- OA dimensions 16"W x 39"L x 36"H
 Powder coat fi nish

ROLLING LADDERS

- · Capacity 1200 lbs.

ROLLING LADDERS Push Handle Ladders SKU: L02-HNDL



- Standard 2-Step Rolling Ladder Includes push handle for easier movement
- · Powder coat fi nish
- · Capacity 300 lbs.


ROLLING LADDERS

Tilt and Roll Ladders SKU: L02-T





- · 2-rigid casters replace swivel stem casters
- · Pull handle to tilt ladder onto casters
 • Powder coat fi nish
- · Capacity 300 lbs.



6 wheel large stock cart actually turns in its own radius – two 8" x 1.5" centre wheels plus four 5" x 1" ball-bearing swivel casters make this possible. 41" x 22" wide bed takes big cartons. Frame, deck, handles are 1" diameter tubular welded steel.

- · Powder coat fi nish
- · Capacity 1200 lbs.



Our single shelf stock cart is well designed carry-all for retail or warehouse stocking. 36" x 16" bed, handle and frame of strong 1" diameter welded steel tubing. Cart rolls smoothly on two swivel and two rigid 5" non marking casters.

- Overall dimension: 38"L x 16"D x 36"H Shelf dimension: 35" x 16"
- · Powder coat fi nish
- · Capacity 1200 lbs.

FURNITURE DOLLIES

Piano Dolly

SKU: 1355

FURNITURE DOLLIES FURNITURE DOLLIES

Furniture Dolly

SKU: 1360



Quality material furniture dolly.

- · All welded steel frame

- 4 3" swivel casters
- Powder coat fi nish · Capacity - 1000 lbs.
- Carpeted wood construction
 Dimensions 18" x 27" x 8" · All welded steel frame
 - · Carpeted wood construction • Dimensions: 27" x 18" x 6"H

Our piano dolly is designed to move large items or furniture safely, easy, effi ciently.

- 2 5" swivel casters,
 2 5" rigid casters
 Powder coat fi nish

- · Capacity 1200 lbs.



ANCHOR PRO SUPPLIES LTD

ROLLING LADDERS

ROLLING LADDERS **Rolling Ladders**





Anchor Pro quality rolling ladders.

- Top platform 14" deep All Steel Bolt together
- construction
- All components are replaceablePowder coat fi nish
- · Perforated tread design prevents
- slipping ANSI and OSHA Compliant
 Detailed use and maintenance
- instructions are sent with each ladder
- Capacity 300 lbs

Brake Systems:

- Automatic Brake on 2 6 step models
- Positive Locking System with manual release on 7 to 20 step
- Either option available for 5 & 6 step models

Stock No.	No. of Steps	Platform Height	Working Height	Hand Rail	Brake Type	Base WxL	Overall Height
L02	2	1' 6"	7' 0"	NO	AUTO	26" x 21"	1' 6"
L03	3	2' 3"	7' 9"	NO	AUTO	26" x 27"	2' 3"
L04	4	3' 0"	8' 6"	NO	AUT0	26" x 33"	3' 0"
L03HR	3	2' 3"	7' 9"	YES	AUT0	26" x 27"	5' 9"
L04HR	4	3' 0"	8' 6"	YES	AUT0	26" x 34"	6' 6"
L05HR	5	3' 9"	9' 3"	YES	AUT0	26" x 40"	7' 3"
L06HR	6	4' 6"	10' 0"	YES	AUT0	26" x 45"	8' 0"
L05HRL	5	3' 9"	9' 3"	YES	LOCK	31" x 40"	7' 3"
L06HRL	6	4' 6"	10' 0"	YES	LOCK	31" x 45"	8' 0"
L07HRL	7	5' 3"	10' 9"	YES	LOCK	35" x 51"	8' 9"
L08HRL	8	6' 0"	11' 6"	YES	LOCK	35" x 57"	9' 6"
L09HRL	9	6' 9"	12' 3"	YES	LOCK	35" x 63"	10' 3"
L10HRL	10	7' 6"	13' 0"	YES	LOCK	35" x 69"	11' 0"
L11HRL	11	8' 3"	13' 9"	YES	LOCK	35" x 74"	11' 9"
L12HRL	12	9' 0"	14' 6"	YES	LOCK	35" x 79"	12' 6"
L13HRL	13	9' 9"	15' 3"	YES	LOCK	35" x 84"	13' 3"
L14HRL	14	10' 6"	16' 0"	YES	LOCK	35" x 90"	14' 0"
L15HRL	15	11' 3"	16' 9"	YES	LOCK	35" x 96"	14' 9"
L16HRL	16	12' 0"	17' 6"	YES	LOCK	35" x 104"	15' 6"
L18HRL	18	13' 6"	19' 0"	YES	LOCK	35" x 114"	17' 0"
L20HRL	20	15' 0"	20' 6"	YES	LOCK	35" x 126"	18' 6"

ROLLING LADDERS

Ladder Shelf Tray SKU: LS10



Shelf Tray

- · Recommended for use with rolling ladders of minimum 21" long platforms
- Can be attached to the top back handrails on standard 14"D ladder
 Can be attached to the top back or side
- handrails on standard 21"D or deeper ladders
- Folds down when not in use 19-3/8" x 9-3/8" x 1"H



ROLLING LADDERS

Rolling Work Platforms





High quality rolling work platforms

- 42" long top platform
 All steel bolt together design
 All components are replaceable
- · Perforated tread design prevents
- slipping
 ANSI and OSHA Compliant
- · Detailed use and maintenance instructions are sent with each
- ladder
 Powder coat fi nish
- Capacity 300 lbs

- Brake Systems:
 Models without lock roll "wheelbarrow" style
 Models with lock roll without

- lifting required
 Positive locking system with manual release on locking models

Stock No.	No. of	Platform	Working	Hand Rail	Lock	Overall	Overall
	Steps	Height	Height			Length	Height
WP3-42	3	2' 3"	7' 9"	NO	NO	4' 8"	2' 3"
WP4-42	4	3' 0"	8' 6"	NO	NO	5' 1"	3' 0"
WP3HR-42	3	2' 3"	7' 9"	YES	NO	4' 9"	5' 9"
WP4HR-42	4	3' 0"	8' 6"	YES	NO	5' 2"	6' 4"
WP5HR-42	5	3' 9"	9' 3"	YES	NO	5' 8"	7' 3"
WP3-42L	3	2' 3"	7' 9"	NO	YES	4' 8"	2' 3"
WP4-42L	4	3' 0"	8' 6"	NO	YES	5' 1"	3' 0"
WP3HR-42L	3	2' 3"	7' 9"	YES	YES	4' 9"	5' 9"
WP4HR-42L	4	3' 0"	8' 6"	YES	YES	5' 2"	6' 4"
WP5HR-42L	5	3' 9"	9' 3"	YES	YES	5' 8"	7' 3"

ROLLING LADDERS

Mechanics Ladders



- 21" Long Platform
 All Steel Bolt together design
 5" non-marking casters on front
 Wheel guards on front of handrail
- All components are replaceable
 Perforated tread design prevents
- slipping

 ANSI and OSHA compliant
- · Detailed use and maintenance
- instructions sent with each ladder
 Powder coat fi nish
- · Capacity 300 lbs.



Stock No.	No. of Steps	Overall Width	Overall Length	Platform Height	Overall Height
L03HR-21-T	3	26"	40"	27"	69"
L04HR-21-T	4	26"	47"	36"	78"



STORAGE MEZZANINES

STORAGE MEZZANINES

Structural Mezzanines




A warehouse mezzanines is a safe, ideal, cost-effective solution for freeing up floor space while providing expanded storage capacity.

That means increase valuable working, offi ce, storage or manufacturing area for a lot less cost than new construction!

Anchor ProStructural Mezzanines are built to suit your exact requirements. From standard space provision to more complex point loading or excessively wide clearance requirements, our flexibility in design allows optimization of

At Anchor Pro we provide consulting, design, products and solutions for warehouses, distribution centres and manufacturing facilities.




STORAGE MEZZANINES

Staircases



Building Code Standards as

- 12"D tread



Stock No.	Height	Treads	Run
760/SC028	28"	3	34"
760/SC035	35"	4	45"
760/SC042	42"	5	56"
760/SC049	49"	6	67"
760/SC056	56"	7	78"
760/SC063	63"	8	89"
760/SC070	70"	9	100"
760/SC077	77"	10	111"
760/SC084	84"	11	122"
760/SC091	91"	12	133"
760/SC098	98"	13	144"
760/SC105	105"	14	155"
760/SC112	112"	15	166"
760/SC119	119"	16	177"
760/SC126	126"	17	188"
760/SC133	133"	18	199"
760/SC140	140"	19	210"

*Note: Allowable deck height variance = 2% of stair run Ex: SC119 with 16 treads and 177" run (177 x 2% = 3.54")

Deck height tolerance = 115.5" to 122.5"



STORAGE MEZZANINES

STORAGE MEZZANINES



C Walk Through Ladder



D Side Step Ladder

Anchor Pro custom walk through ladder is uniquely designed to optimize your warehouse facilities.


- Easy-to-install ladders help prevent injuries by providing an easy, safer access to docks and mezzanines
 Designed to be installed with the top tread level with the floor being served
- · For side step option, grab rungs continue for four feet above the top tread, for safety as per OSHA requirements
- Steps are 18" wide by 1 1/4" deep by 1 1/2" high one-piece steel with self-cleaning, perforated, raised buttons for slip-resistant footing
- · Floor Mounts are available.
- Add-FM to model number and specify exact platform height
 Designed to be mounted beside truck loading doors to provide safer access without obstructing the door opening



Stock No.	Threads	Recommended
		Platform Height
LAD-W-02	2	2' 3" - 3' 3"
LAD-W-03	3	3' 3" - 4' 3"
LAD-W-04	4	4' 3" - 5' 3"
LAD-W-05	5	5' 3" - 6' 3"
LAD-W-06	6	6' 3" - 7' 3"
LAD-W-07	7	7' 3" - 8' 3"
LAD-W-08	8	8' 3" - 9' 3"
LAD-W-09	9	9' 3" - 10' 3"
LAD-W-10	10	10' 3" - 11' 3"
LAD-W-11	11	11' 3" - 12' 3"
LAD-W-12	12	12' 3" - 13' 3"
LAD-W-13	13	13' 3" - 14' 3"
LAD-W-14	14	14' 3" - 15' 3"
LAD-W-15	15	15' 3" - 16' 3"
LAD-W-16	16	16' 3" - 17' 3"



Stock No.	Threads	Total Rungs	Recommended Platform Height
LAD-S-02	2	6	2' 3" - 3' 3"
LAD-S-03	3	7	3' 3" - 4' 3"
LAD-S-04	4	8	4' 3" - 5' 3"
LAD-S-05	5	9	5' 3" - 6' 3"
LAD-S-06	6	10	6' 3" - 7' 3"
LAD-S-07	7	11	7' 3" - 8' 3"
LAD-S-08	8	12	8' 3" - 9' 3"
LAD-S-09	9	13	9' 3" - 10' 3"
LAD-S-10	10	14	10' 3" - 11' 3"
LAD-S-11	11	15	11' 3" - 12' 3"
LAD-S-12	12	16	12' 3" - 13' 3"
LAD-S-13	13	17	13' 3" - 14' 3"
LAD-S-14	14	18	14' 3" - 15' 3"
LAD-S-15	15	19	15' 3" - 16' 3"
LAD-S-16	16	20	16' 3" - 17' 3"



STORAGE MEZZANINES

Handrail Chain Gate SKU: Handrail G6



Handrail Double Swing


SKU: Handrail G13-5




Handrail Pipe Gate SKU: Handrail G9



Mezzanine Handrail Chain Gates are a great economical solution to provide an access point onto your mezzanine or storage platform. Designed for access area of 96" or less. Compatible with most guardrail systems.









Mezzanine handrail double swing gate is a great solution when you need to added security of a swing in gate while having adequate access to your mezzanine or storage platform. Designed for access area of 96". Compatible with Anchor Pro guardrail systems, inquire for compatible options for other handrail systems.



Mezzanine Handrail Pipe Gates are a great economical solution to provide an access point onto your mezzanine or storage platform. Designed for access area of 96" or less. Compatible with Anchor Pro guardrail systems, inquire for compatible options for other handrail systems.

STORAGE MEZZANINES

Handrail Swing Gate SKU: Handrail G12-5

STORAGE MEZZANINES

Handrail Systems

STORAGE MEZZANINES

Pivot Safety Gates SKU: G-PSG



Mezzanine Handrail Swing Gates are a great solution when you need the added security of a swing in gate while having adequate access to your mezzanine or storage platform. Designed for access area of 60". Compatible with Anchor Pro guardrail systems, inquire for compatible options for other handrail systems.









At Anchor Pro we manufacture a complete line of handrail systems and guardrail systems available through quick ship program. Our handrail system comes standard at 42"H with a top and centre rail and a 5 1/2" kick-plate.



Pivot Safety Gates are designed to protect open areas on mezzanines, storage platforms and rack systems during loading and unloading of material. Easy installation into existing handrail systems. When one side is raised, the other side is closed allowing for quick, congnient and safe access by forklifts and personnel.

S' Wide x 80" High Pivot Safety Gate Stock Code – 760/G-PSG8060 8' Wide x 80" High Pivot Safety Gate Stock Code – 760/G-PSG8096



SPECIALTY PRODUCTS

SPECIALTY PRODUCTS

Bar Stock Racking





Uses standard rack components for light duty applications. Bar stock racking is the most economical for light loads and is recommended for heights up to 12 ft. Maximum arm length of 24", adjustable on 3" centres.

Ideal for hand loaded bar or long narrow trim or pipe.


- Powder coat fi nish
- Arm length of 9", 12", 18" and 24"
- · All arms attached with a double bracket connection
- · Available in single & double sided confi guration
- Up to 600 lbs. capacity per arm

Stock No.	Dimensions Bar Stock Arms	Capacity
894/WBSA09	9"	600 Lbs
894/WBSA12	12"	500 Lbs
894/WBSA18	18"	400 Lbs
894/WBSA24	24"	300 Lbs
	Upright Frames "L" Frame	
894/WSS96	18"D x 96"H	
	"A" Frame	
894/WDS96	32"D x 96"H	
	Connector Beams	
894/WCB36	36"W	
894/WCB48	48"W	

SPECIALTY PRODUCTS **Reel Racking**



- · Utilizes standard rack components for use with spools
- Reel adaptors can accommodate spool axles or pipes up to 2" diameter • With 1500 lbs. capacity
- per pair of supports



Stock No.	Dimensions			
	Reel Adaptors			
894/WRA	(1 left + 1 right) 1500lbs. cap.			
	Reel Rods			
894/WT36	36" x 1.315" x 100w Rod			
894/WT48	48" x 1.315" x 100w Rod			
	Upright Frames			
	"L" Frame			
894/WSS96	18"D x 96"H			
	"A" Frame			
894/WDS96	32"D x 96"H			
	Connector Beams			
894/WCB36	36"W			
894/WCB48	48"W			

SPECIALTY PRODUCTS

EZ Rect Security Lock-Ups





Model E-Z-Rect Security Lock-Ups:

- Transforms your E-Z-Rect shelving into a lockable storage unit
- Bolt on to existing E-Z-Rect shelving without having to dismantle
- Lockable Wire Mesh Doors
- Wire Mesh Back Panel
- Solid Side Panels
- · Easy to Install

PART NUMBERS DOOR SETS:

760/WFL48-60: Framed Lock Up Doors 49.5" x 60" 760/WFL48-92: Framed Lock Up Doors 49.5" x 72" 760/WFL48-84: Framed Lock Up Doors 49.5" x 84" 760/WFL48-96: Framed Lock Up Doors 49.5" x 96" 760/WFL48-120: Framed Lock Up Doors 49.5" x 120" 760/WFL72-96: Framed Lock Up Doors 73.5" x 96" 760/WFL72-120: Framed Lock Up Doors 73.5" x 120"

BACK PANELS:

760/WMF48-60: Wire Mesh Frame 48" x 60"H 760/WMF48-72: Wire Mesh Frame 48" x 72"H 760/WMF48-84: Wire Mesh Frame 48" x 84"H 760/WMF48-96: Wire Mesh Frame 48" x 96"H 760/WMF48-120: Wire Mesh Frame 48" x 120"H

SIDE PANELS:

760/W72: Solid Panel 23.75" x 60" 760/W73: Solid Panel 23.75" x 72" 760/W74: Solid Panel 23.75" x 84" 760/W75: Solid Panel 23.75" x 96" 760/W76: Solid Panel 23.75" x 120"



FLAMMABLE

SPECIALTY PRODUCTS

SPECIALTY PRODUCTS

Forklif Workstage SKU: 510




- · Attaches to your forklift
- · All welded construction
- 42" high safety railLatching front gate5" high kick-plate

- 42" deep x 36" wide platform
- Non-slip steel deck2 3/4" x 7 3/4" full length fork pockets
- Overall height = 75'
- Inside height = 72"
- Safety chains to secure to forklift
 Safety mesh back to prevent
- items being caught on forklift
 Conforms to ANSI/ASME B56.1
- Safety Standards
 Powder coat fi nish
- · Capacity 500 lbs.



SPECIALTY PRODUCTS

Modular Security Fencing





Modular Security Fencing

- · Ideal for the storage of expensive small parts in warehouse or factory
- Adapts to your needs
- Quick to set up
- · Convenient to move or relocate
- · Easy to install

Build structurally sound enclosures with pre-engineered wire partitions. Partitions offer low initial cost, easy set-up, quick relocation, and virtually no maintenance! In addition to savings, strength and flexibility, you get protection from pilferage with visibility, unrestricted circulation of air, light and heat and personnel protection in dangerous areas.

	W D	D	w	D
Size (Ft) W' x D' x H'	2 Sided	3 Sided	4 Sided	
12' x 8' x 8'	X2-1208	X3-1208	X4-1208	
20' x 8' x 8'	X2-2008	X3-2008	X4-2008	
20' x 16' x 8'	X2-2016	X3-2016	X4-2016	
20' x 20' x 8'	X2-2020	X3-2020	X4-2020	
28' x 20' x 8'	X2-2820	X3-2820	X4-2820	

* Above units come complete with 4'Osliding door

SPECIALTY PRODUCTS **Gas Cylinder Cabinets**



- · Heavy-duty construction
- Wire mesh doors and walls
- for venting
 Warning labels included
 Padlock hasp for added
- security · Powder coat fi nish (Safety
- yellow)
 Each cabinet comes with steel bottom shelf, not shown in images
- Constructed to meet or exceed strict CSA International B149-2-0 Propane Storage and Handling Code.
- Cylinders must be stored vertically at all times
- · Each cabinet comes with 4 - 9/16" holes for anchoring



SKU: OG20N

E	FLAMMABLE MKER MINE MARK
100	and the last
EHE	96
200	要求证据
155 de-	A STATISTICS
535 Pre	
HITE	
	CONTRACTOR OF THE PERSON NAMED IN COLUMN 1
wilder.	CONTRACTOR OF THE PARTY OF THE
	The state of the s
	ARTERIA METERS
30.0	
	144 23
	1 K 33
	146 83
	11 E 33
	146 33
	I 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Stock No.	Dimensions	Cylinder
	W" x D" x H"	Capacity
LP05N	33" x 34 1/2" x 36"	5
LP10N	33" x 34 1/2" x 70"	10
LP20N	66" x 34 1/2" x 70"	20

66" x 34 1/2" x 70" 20

SPECIALTY PRODUCTS

Pallet Rack Post Protector SKU: SPP-18



Pallet Rack Post Protector help prevent pallet rack uprights from forklift damage.

Anchor Pro Post Protectors are made from 3/16" thick steel enabling it to deflect the strongest of impacts.

The baseplate comes with 3 anchor holes allowing the frame protector to be installed into existing pallet rack systems.



SPECIALTY PRODUCTS

Pallet Puller SKU: PP-100



Pallet Puller

- · Pulls loaded pallets to the edge of a dock or truck
- Bites into wood
- Positive grip on wood pallets
 Extends reach of fork trucks
- · Saves time





SPECIALTY PRODUCTS

SPECIALTY PRODUCTS

Self Dumping Hoppers





- · Perfectly balanced to roll forward when released and dump completely, then
- Reinforced steel locking latch with spring loaded safety catch

 Reinforced steel locking latch with spring loaded safety catch

 Formed smooth edge around top and pouring lip for extra strength and safety

 All-welded 10 ga. steel plate construction designed for forklift handling of
- However up as seek plate construction designs heavy/bulky scrap
 Comes with Safety Pull Chain and Retainer Chain
 Red rust-resistant paint fi nish
 Hoppers also available in 3/16" and 1/4" Steel

- Casters for Hoppers are available in 6" or 8" and come with 2 rigid and 2 swivel
- Capacity 4000 lbs.
 Conforms to ANSI/TSDF B56.1 Safety Standard

SPECIALTY PRODUCTS

Stacking Baskets SKU: SCE3000



- Increase productivity Maximize floor space
- Maximize floor space
 Cupped legs provide easy stacking and prevent floor damage
 34 1/2"W x 40 1/2"D x 32 5/8"H
 Inside depth 24 3/4"
 Under-clearance 4 3/4"
 Half gates fold down for easy access while stacked
 Can be stacked 5 high at full capacity
 Capacity 3000 lbs.





Stock No.	Capacity	Dimensions	Steel Spec	Wt. Lbs
	(Cubic Yards)	HxWxL		
800/SDH050	1/2	32" x 45" x 49"	10 Ga.	385
000/3011030	1/2	32 X43 X49	10 Oa.	303
800/SDH075	3/4	35" x 41" x 58"	10 Ga.	420
800/SDH100	1	43" x 41" x 63"	10 Ga.	505
800/SDH150	1 1/2	43" x 53" x 63"	10 Ga.	560
800/SDH200	2	43" x 65" x 63"	10 Ga.	610
800/SDH300	3	55" x 65" x 79"	10 Ga.	850
800/SDH400	4	63" x 65" x 79"	10 Ga.	970

Caster Kits:

Stock No.	Caster Type	Caster Size
800/P6	Phenolic	6"
800/P8	Phenolic	8"
800/S6	Steel	6"
800/\$8	Steel	8"

SPECIALTY PRODUCTS

Stacking Rack





- Welded 2" sq. tubing steel construction
- Designed for storage of loose and palletized goods
 Can be stacked 4 high
- OA base dimensions
- 44.5"W x 50.5"L x 13"H
 Holds up to 4000 lbs. per rack

Stock No.	Description	Dimensions
SR4248	Base	42" x 48" x 13" H
SRP42	Post	42" H
SRP48	Post	48" H
SRP60	Post	60" H
SRS42	Siderail	42" W x 54" H
SRS48	Siderail	48" W x 54" H

CUSTOM

MANUFACTURING

We understand the unique requirements and individual purpose for any piece of material handling equipment. With our years of experience, let us design and manufacture a product that fi ts your needs perfectly. See below for some expamples.

CUSTOM PRODUCTS Bolt Bin Cabinet B

Reference No: EDW2224





SUBJECT: Stud Bolt Bin Storage

- 16ga construction
 66" OAH x 14" OAD x 144" OAW
 To consist of four 36" wide sections.
- · Each 36" wide section c/w wall anchor provisions near top two corners inside
- Approx 8" x 8" openings except top two levels to be 8"H x 16"W
- Each level to have 2" lip up on front
- · Unit top will have 1" lip down
- · Sides of each 36" wide section will have 1" lip facing inward
- All exposed vertical divider and lip edges to be hemmed for safety
- 2" x 2" x 1/8" angle bar bottom base (each section)
 c/w 16 "angle dividers" for double wide openings
 Powder coat fi nish (Anchor Pro Safety Blue)

CUSTOM PRODUCTS Bread Tray Cart

Reference No: SDM2011R





SUBJECT: Bread Tray Cart 22" x 26"

- 12 ga HR construction
- · c/w two guide rails underneath front to back at
- 13" clear radius corners
 Powder coat fi nish (RAL 2001 Orange)

CUSTOM PRODUCTS

Stacking Board Racks

Reference No: CRC2137R1





SUBJECT: Stacking Bread Board Racks - 48.3"W x 48.3"D x 47.5"H

- Standard 4.25" x 4.25" cup feet (bottom clearance maintained)
- HSS SQ 1.5" x 1.5" x .188W tube posts
- HSS SQ 1.5" x 1.5" x .100W tube frame

 2" x 2" x .1875" angle iron shelf supports

 Powder coat fi nish (gloss black)

CUSTOM PRODUCTS

Pipe and Tube Cradle

Cart

Reference No: SSM2279R





- 26" x 72" x 48" AOH
- 2" x 2" x .1875" angle iron construction
- 2" x 10GA tube cradle with HHS SQ. 1.5" x 1.5" x .188W vertical support
- 5" phenolic swivel caster with brake
- and rigid casters
- Powder coat fi nish · Capacity - 3000 lbs.

CUSTOM PRODUCTS

Bollards

Reference No: SSM2261





SUBJECT: Bollards - 42" x 30"H

- HSS SQ. 4" x 4" x .125W construction 8" x 8" x .5" base plate with four 1" holes for
- · Powder coat fi nish (Anchor Pro standard yellow)

CUSTOM PRODUCTS

Sandbag Handtruck Reference No: SSM2257R





SUBJECT A: Sandbag Handtruck

- · HSS RD. 1.315" x .100W tube frame with
- "D" style handle
 HSS SQ. 1.25" x 1.25" x .125W tube frame 13.25"W x 38.5"H on front of
- Toe-plate to be 10.75" clear between lips
- 10" pneumatic wheels with .75v bearings 1v x 10GA flat bar (3) on front side
- spaced evenly between top of toe-plate and bottom of "D" handle
- · Powder coat fi nish (Anchor Pro standard red)



CUSTOM PRODUCTS

CUSTOM PRODUCTS Water Bottle Cart Reference No: SBM2678





SUBJECT: Water Bottle Cart

- 5" OAL x 22.5"OAW x 42'OAH

- ERW RD 1" x 16GA tube construction Handle reinforced with 1" x .25" flat bar 8" pneumatic casters (2 swivel, 2 rigid)
- · Powder coat fi nish (Anchor Pro safety blue)

CUSTOM PRODUCTS HD Cutting Table

Reference No: EDW2275R





SUBJECT: HD Cutting Table 48" x 96"

- 48" wide x 96" long x 36" high
- HSS tube framework and legs
- Drop-in bar grate top surface (uncoated)
- Full width x length catch tray c/w open ends 12" clear from top
- · Powder coat fi nish (Anchor Pro standard red)

CUSTOM PRODUCTS

HD Welding Tables

Reference No: EDW2274R





SUBJECT A: HD Mobile Welding Table 36" x 72"

- 34" plate top uncoated

- 1" galvanized bar grate shelf 20" from floor Adjustable height 32" to 36" on 2" increments 8" phenolic casters 2 rigid, 2 swivel with brake
- · Powder coat fi nish (Anchor Pro standard red)

SUBJECT B: HD Mobile Work Table 47" x 95"

- 34" plate top corners radiused 4" uncoated

- M piate top corners radiused 4" uncoated 1" galvanized bar grate shelf 14" from floor Adjustable height 32" to 36" on 2" increments 8" phenolic casters 2 rigid, 2 swivel with brake Powder coat fi nish (Anchor Pro standard red)

SUBJECT C: HD Stationary Work Table 47" x 95"

- 34" plate top corners radiused 4" uncoated
- 1" galvanized bar grate shelf 14" from floor Adjustable height 32" to 36" on 2" increments Powder coat fi nish (Anchor Pro standard red)

THE

ADVANTAGE

At Anchor Pro, we pride ourselves on providing an industry leading premium quality product. Anchor Pro's quality products will save you time and money spent replacing critical pieces of equipment.



MANUFACTURERS OF A FULL LINE OF **QUALITY MATERIALS** HANDLING EQUIPMENT

